	a J	th
	Application No.	Applicant(s)
	10/621,820	WARD, RICHARD E.
Notice of Allowability	Examiner	Art Unit
	Gary K Graham	1744
The MAILING DATE of this communication appearance All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this a) or other appropriate communication IGHTS. This application is subject	application. If not included on will be mailed in due course. THIS
1. A This communication is responsive to <u>amendment filed 04 I</u>	March 2005 and interview of 17 Ma	<u>arch 2005</u> .
2. The allowed claim(s) is/are 19, 20, 22-25 and 27.		
3. X The drawings filed on 17 July 2003 are accepted by the Ex	kaminer.	
 4. Acknowledgment is made of a claim for foreign priority unall All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority do International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. A SUBSTITUTE OATH OR DECLARATION must be subminsformal PATENT APPLICATION (PTO-152) which give 6. CORRECTED DRAWINGS (as "replacement sheets") must (a) including changes required by the Notice of Draftspers 1) hereto or 2) to Paper No./Mail Date	e been received. e been received in Application No. cuments have been received in this of this communication to file a replace. MENT of this application. Mitted. Note the attached EXAMINE es reason(s) why the oath or declar at be submitted. Son's Patent Drawing Review (PTO) as Amendment / Comment or in the meader according to 37 CFR 1.12 sit of BIOLOGICAL MATERIAL	s national stage application from the ly complying with the requirements R'S AMENDMENT or NOTICE OF ration is deficient. D-948) attached Office action of vings in the front (not the back) of 1(d). must be submitted. Note the
attached Examiner's comment regarding REQUIREMENT		
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5. Notice of Informal	Patent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ⊠ Interview Summar Paper No./Mail D	ry (PTO-413),
 Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date	08), 7. ⊠ Examiner's Amen	
of Biological Material	9.	Gary K Graham Primary Examiner Art Unit: 1744

U.S. Patent and Trademark Office PTOL-37 (Rev. 1-04)

EXAMINER'S AMENDMENT

The following changes are made to distinguish both independent claims from what is taught by the Brasty reference. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Donald L. Otto on 17 March 2005.

The application has been amended as follows:

In the Claims

In claim 19, line 18, after "portion" insert ---, wherein the downwardly angled bend has a bend angle of approximately 15° to 25° relative to the axis of the intermediate length of the spring wire---.

Cancel claim 21.

In claim 22, line 1, change "21" to ---19---,

line 2, delete "general".

Application/Control Number: 10/621,820

Art Unit: 1744

Page 3

In claim 24, line 25, after "portion" insert ---, wherein the downwardly angled bend has a bend angle of approximately 15° to 25° relative to the axis of the intermediate length of the spring wire---.

Cancel claim 26.

In claim 27, line 1, change "26" to ---24---,

line 2, delete "general".

Reasons for Allowance

The following is an examiner's statement of reasons for allowance: The claimed spring or combination of spring and wiper arm set forth distinguishes over the closest prior art, the Brasty reference, as they establish the downwardly angled bend in the intermediate length of the spring wire adjacent the second hook-like end portion at an angle of approximately 15-25 degrees relative the intermediate length of the spring wire. Brasty does teach a downwardly angled bend defining portion (13), however, such is adjacent the first hook-like end portion (6) and appears to be of approximately 45 degrees relative to the axis of the intermediate length of the spring wire. There appears no motivation to shift the downward bend of Brasty from the first end to the second end and to provide such bend at an angle of approximately 15 to 25 degrees. As such, the claims are considered to define over the prior art.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Gary K Graham whose telephone number is 571-272-1274. The examiner can normally be reached on Tuesday to Friday (6:30-4:00).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, John Kim can be reached on 571-272-1142. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Gary K Graham Primary Examiner

Art Unit 1744